| License | Used By | Text |
|--------------------------|---|---|
| Apache License 2.0 | mbed TLS (formerly PolarSSL), CMSIS_5, alibaba-id2- client-sdk | Apache License Version 2.0, January 2004 http://www.apache.org/licenses/ TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION 1. Definitions. "License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document. "License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document. "License" shall mean the terms and conditions for use, reproduction, and distribution as defined by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity. "You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License. "Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files. "Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types. "Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below). "Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works thereof. "Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or |

| License | Used By | Text |
|---------|---------|---|
| License | Used By | 2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form. 3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed. 4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions: You must give any other recipients of the Work or Derivative Works a copy of this License; and You must retain, in the Source form of any Derivative Works ta You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute and ont |
| | | |
| | | 5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions. |

| License | Used By | Text |
|------------------------------|-----------------------------------|---|
| License | Used By | 6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file. 7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License. 8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or |
| | | otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages. 9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability. END OF TERMS AND CONDITIONS |
| | | APPENDIX: How to apply the Apache License to your work To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives. Copyright [yyyy] [name of copyright owner] Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0 Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License. |
| BSD 3- clause "New" or | lwIP - A Lightweight TCP/IP | Copyright (c) <year>, <owner> All rights reserved.</owner></year> |

| License | Used By | Text |
|---|---------------------------------|---|
| "Revised" License | stack, wifi_qca, mcu-ksdk | Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. Neither the name of the <organization> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.</organization> |
| FreeRTOS GPL Exception License | FreeRTOS | FreeRTOS GPL Exception License The FreeRTOS GPL exception text follows: Any FreeRTOS *source code*, whether modified or in it's original release form, or whether in whole or in part, can only be distributed by you under the terms of the GNU General Public License plus this exception. An independent module is a module which is not derived from or based on FreeRTOS. Clause 1: Linking FreeRTOS with other modules is making a combined work based on FreeRTOS. Thus, the terms and conditions of the GNU General Public License V2 cover the whole combination. As a special exception, the copyright holders of FreeRTOS give you permission to link FreeRTOS with independent modules to produce a statically linked executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on FreeRTOS. Clause 2: |

| License | Used By | Text |
|---------|---------|--|
| | | FreeRTOS may not be used for any competitive or comparative purpose, including the publication of any form of run time or compile time metric, without the express permission of Real Time Engineers Ltd. (this is the norm within the industry and is intended to ensure information accuracy). (The FreeRTOS GPL Exception text on this page applies to FreeRTOS V8.2.3 up to the latest version.) |
| | | The GNU General Public License (GPL) Version 2, June 1991 Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. Preamble |
| | | The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free softwareto make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too. |
| | | When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things. |
| | | To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it. |
| | | For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights. |
| | | We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software. |
| | | Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that |

| License | Used By | Text |
|---------|---------|---|
| | | what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations. |
| | | Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all. |
| | | The precise terms and conditions for copying, distribution and modification follow. |
| | | TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you". |
| | | Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program. |
| | | You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions: |
| | | You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change. You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License. |
| | | If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright |

| License | Used By | Text |
|---------|---------|--|
| | | notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.) These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it. |
| | | Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program. |
| | | In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following: Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or, Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or, Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.) The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable. |
| | | If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code. |

| License | Used By | Text |
|---------|---------|--|
| | | You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it. Each time you redistribute the Program (or any work based on the Program, you are not responsible for enforcing compliance by third parties to this License. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license wold not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program. |
| | | It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice. This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted |
| | | interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License. |

| License | Used By | Text |
|---------|---------|---|
| | | The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. |
| | | Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally. |
| | | NO WARRANTY BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. |
| | | END OF TERMS AND CONDITIONS How to Apply These Terms to Your New Programs |
| | | If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms. |

| License | Used By | Text |
|---------|---------|--|
| | | To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found. one line to give the program's name and a brief idea of what it does. Copyright (C) |
| | | This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version. |
| | | This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details. |
| | | You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Also add information on how to contact you by electronic and paper mail. |
| | | If the program is interactive, make it output a short notice like this when it starts in an interactive mode: Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome |
| | | to redistribute it under certain conditions; type `show c' for details. The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse- clicks or menu itemswhatever suits your program. |
| | | You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names: Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written |

| License | Used By | Text |
|------------------------------|--|---|
| | | by James Hacker. signature of Ty Coon, 1 April 1989 |
| | | Ty Coon, President of Vice This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License. |
| | | The MIT License Copyright (c) <year> <copyright holders=""></copyright></year> |
| | Amazon FreeRTOS, Bootstrap, unity-test- throwtheswit ch | Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: |
| MIT License | | The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. |
| | | THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE. |
| | open62541 | MOZILLA PUBLIC LICENSE Version 1.1 |
| Mozilla Public License | | Definitions. 1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party. |
| 1.1 | | 1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor. |

| License | Used By | Text |
|---------|---------|--|
| | | 1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof. |
| | | 1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data. |
| | | 1.5. "Executable" means Covered Code in any form other than Source Code. |
| | | 1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A. |
| | | 1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License. |
| | | 1.8. "License" means this document. |
| | | 1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein. |
| | | 1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications. |
| | | B. Any new file that contains any part of the Original Code or previous Modifications. 1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License. |
| | | 1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor. |
| | | 1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge. |

| License | Used By | Text |
|---------|---------|---|
| | | 1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity. 2. Source Code License. 2.1. The Initial Developer Grant. The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims: (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, |
| | | modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and |
| | | (b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof). |
| | | (c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License. |
| | | (d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices. |
| | | 2.2. Contributor Grant. Subject to third party intellectual property claims, each Contributor hereby grants You a world- wide, royalty-free, non-exclusive license |
| | | (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and |
| | | (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination). |
| | | (c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code. |

| License | Used By | Text |
|---------|---------|---|
| | | (d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor. |
| | | 3. Distribution Obligations. 3.1. Application of License. The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5. |
| | | 3.2. Availability of Source Code. Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party. |
| | | 3.3. Description of Modifications. You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code. |
| | | 3.4. Intellectual Property Matters (a) Third Party Claims. If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been |

| License | Used By | Text |
|---------|---------|--|
| | | obtained. |
| | | (b) Contributor APIs. If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file. (c) Representations. Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed |
| | | by this License. |
| | | 3.5. Required Notices. You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer. |
| | | 3.6. Distribution of Executable Versions. You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer. |
| | | 3.7. Larger Works. You may create a Larger Work by combining Covered Code with other code not governed by the |

| License | Used By | Text |
|---------|---------|--|
| | | terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code. 4. Inability to Comply Due to Statute or Regulation. If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the |
| | | maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it. 5. Application of this License. |
| | | This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code. 6. Versions of the License. |
| | | 6.1. New Versions. Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number. |
| | | 6.2. Effect of New Versions. Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License. |
| | | 6.3. Derivative Works. If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License |
| | | Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.) |
| | | 7. DISCLAIMER OF WARRANTY. COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT |
| | | FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) |
| | | ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER. 8. TERMINATION. |

| License | Used By | Text |
|---------|---------|--|
| | | 8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive. |
| | | 8.2. If You initiate litigation by asserting a patent infringement claim (excluding declatory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that: |
| | | (a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above. |
| | | (b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant. |
| | | 8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license. |
| | | 8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination. |
| | | 9. LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY |
| | | SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR |
| | | MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH |

| License | Used By | Text |
|---------|---------|--|
| | | PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU. 10. U.S. GOVERNMENT END UBERS. The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 22.7.702-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein. 11. MISCELLANEOUS. This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provisions shall be reformed only to the extent necessary to make it enforceable. This License endities of the ob Usaliss in the United States of America, any Illigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including withoul limitation, court costs and reasonable attorneys? fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of fiability. Data Clara County to distribution of rights under this License and You agree to work with Initial Developer and Contributors to distributes where provisions of the Covered Code as |
| | | |

| License | Used By | Text |
|-----------------------------|---|--|
| | | The Initial Developer of the Original Code is Portions created by are Copyright (C) All Rights Reserved. Contributor(s): All Rights reserved. Contributor(s): Alternatively, the contents of this file may be used under the terms of the license (the [] License), in which case the provisions of [] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [] License." [NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.] |
| NXP Proprietar y EULA | simw-mw- brdev, NXPNFCRe aderLibrary | Version 2015-04-10 TERMS AND CONDITIONS OF USE FOR EVALUATION OF PRODUCT S AMPLES In these Terms and Conditions of Use for Evaluation of Product Samples (the "Terms and Conditions"), "NXP" shall mean: NXP Semiconductors Netherlands B.V., a Dutch Corporation, incorporated under the laws of the Netherlands. 1. Definitions. In addition to other terms defined elsewhere in these Terms and Conditions, the following terms, when the first letter is capitalized, shall have the meanings set forth below. 1.1 "Affiliate" means: (a) with respect to NXP, NXP B.V. (the parent company of NXP, and a legal entity organized under the laws of the Netherlands) and any corporation or other legal entity that NXP B.V. now or hereafter Controls, and (b) with respect to Licensee, any corporation or other legal entity that Licensee now or hereafter Controls, is Controlled by or is under common Control with; where "Control" means the direct or indirect ownership of more than fifty percent (>50%) of the shares or similar interests entitled to vote for the election of directors or other persons performing similar functions. An entity may be considered an Affiliate only when such Control exists. 1.2 "Licensed Materials" means the Samples, including all upgrades, updates, information and/or other materials relating thereto that NXP may (in its sole discretion) provide to Licensee. 1.3 "Samples" means the semiconductor hardware devices (mostly in prototype form or early demonstrators) manufactured by or on behalf of NXP. 2. License. Subject to the terms and conditions of these Terms and Conditions, and for a term of one (1) year after delivery NXP hereby grants to Licensee a non-exclusive, worldwide, personal, non-transfrable, royalty-free license, without the right to sublicense, to: (a) use the Licensed Materials for the limited purpose of Licensee's internal evaluation of the commercial potential of the Licensed Materials, and (b) demonstrate the Licensed Materials to prospective customers only as part of Licensee's prototypes or demonstrat |

| License | Used By | Text |
|---------|---------|---|
| | | 3. Restrictions. Licensee shall not, and shall not permit any third party to: (i) use the Licensed Materials for commercial or revenue generating purposes; (ii) copy, translate, modify or make derivative works of any portion of the Licensed Materials; (iii) rent, disclose, publish, sell, assign, lease, lend, sublicense, market, transfer, distribute or otherwise provide third parties access to any portion of the Licensed Materials, except as expressly authorized in Section 2; (iv) reverse engineer, decompile or disassemble the Licensed Materials, or derive or attempt to derive the source code, algorithmic nature or structure of any object code portions of the Licensed Materials; (vi) remove or actempt to derive the source code, algorithmic nature or structure of any object code portions of the Licensed Materials; (vi) remove or circumvent any protection or other restrictive technology mechanism of the Licensed Materials; (vi) remove or alter any proprietary markings or notices from the Licensed Materials; (vii) of hortwise use any portion of the Licensed Materials in any manner not expressly authorized in Section 2. 4. Open Source Restrictions. The license granted in Section 2 does not include any license, right, power or authority to cause the Licensed Materials, in whole or in part, to be subject to Open Source Licensing Terms. As used herein, "Open Source Licensing Terms" means terms in any license for software which require, as a condition of use, modification and/or distribution of such software or other software incorporated into, derived from or distributed with such software (a "Work"), any of the following: (a) the making available of source code or design information regarding the Work; (b) the granting of permission for creating derivative works regarding the Work. By means of example and without limitation, Open Source License (y) the Sun Corporate License (SCSL), (vi) the Sun Industry Standards Source License (SISSL), and (vii) the Open Software License 5. Ownership, These Terms and Conditions do |

| License | Used By | Text |
|---------|---------|---|
| License | Used By | Io NXP at the address above a written certification that all of the Licensed Materials and all whole and partial copies thereof, have been (a) destroyed or returned to NXP, and (b) erased from all of License's storage elements and devices. All defined terms and Sections 3 through 13 shall survive any termination of the License. 8. Remedies. Licensee acknowledges and agrees that, if NXP is required to bring an action to enforce the provisions of these Terms and Conditions, the damages may be irreparable and difficult to measure and NXP shall be entitled to seek equitable relief including a preliminary injunction in addition to any other relief available. Licensee agrees that in the event that NXP seeks an injunction hereunder, Licensee hereby waives any requirement for the posting of a bond or any other security. 9. Disclaimer. THE LICENSED MATERIALS ARE PROVIDED ON AN "AS IS" AND "WITH ALL FAULTS" BASIS. NXP, ITS AFFILIATES AND THEIR SUPPLIERS EXPRESSLY DISCLAIM ALL WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON- INFRINGEMENT, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AT ANY TIME. THE ENTIRE RISK AS TO THE QUALITY, OR ARISING OUT OF THE USE OR PERFORMANCE, OF THE LICENSED MATERIALS REMAINS WITH LICENSEE. 10. Limitation of Liability. IN NO EVENT SHALL NXP, ITS AFFILIATES OR THEIR SUPPLIERS BE LIABLE TO LICENSEE FOR ANY SPECIAL, INDRECT, CONSEQUENTIAL, PUNITIVE, OR INCIDENTAL DAMAGES (INCLUDING WITHOUT LIMITATION DAMAGES FOR LOSS OF BUSINESS, BUSINESS INTERRUPTION, LOSS OF USE, LOSS OF DATA OR INFORMATION, AND THE LIKE) ARISING OUT TERMS AND CONDITIONS OR THE USE OF OR THAE ULCENSEE MIGHT INCUR FOR ANY REASON WHATSOFEVER (INCLUDING, NTHOUT LIMITATION, ALL DAMAGES REFERENCED ABOVE AND ALL DIRECT OR GENERAL DAMAGES), THE ENTIRE LIABILITY OF NXP, ITS AFFILIATES AND THEIR SUPPLIERS UNDEVER (INCLUDING, WITHOUT LIMITATION, ALL DAMAGES REFERENCED ABOVE AND ALL DIRECT OR GENERAL DAMAGES), THE ENTIRE LIABILITY OF NXP, ITS AFFILIATES AND THEIR SUPP |
| | | shall not directly or indirectly export, re-export, transfer or release any Licensed Materials or direct product thereof to |

| License | Used By | Text |
|--------------------------------|-------------------|--|
| | | any destination, person, entity or end use restricted or prohibited by applicable laws, without obtaining prior authorization from the applicable competent government authorities to the extent required by those laws. 13. Miscellaneous. (A) Nothing in these Terms and Conditions shall create a joint venture, partnership or principal/agent relationship between the parties. (B) Licensee shall not assign or transfer any of its rights or obligations hereunder without the prior written consent of NXP. Subject to the foregoing, these Terms and Conditions shall be binding upon and inure to the benefit of the parties and their respective successors and permitted assigns. Any attempted assignment other than in strict compliance with this Section 13(B) shall be void. (C) All notices required or permitted hereunder shall be in writing and shall be deemed delivered upon hand delivery, upon receipt if by acknowledged facsimile communication, or upon receipt if sent by world renown overnight courier or mailed by registered or certified mail, return receipt requested, postage prepaid, to a party at its address set forth above or such other address of which a party may notify the other from time to time. (D) A waiver of any right hereunder shall in no way waive any other rights. NXP reserves the right to make any amendments or modifications to these Terms and Conditions at any time. Such amendments and modifications shall have effect on all Licensed Materials licensed under these Terms and Conditions thirty (30) days from publication or notification of such amendments or modifications by NXP, unless Licensee has notified NXP within such thirty (30) days period that it objects thereto. (E) In the event that any provision of these Terms and Conditions is held to be invalid, illegal or unenforceable, such provision shall be deemed ato achieve the economic effect of the intent of the parties in a valid, lawful and enforceable manner, or if not possible, then deleted and ineffective to the extent thereof, without affecting any other |
| OpenSSL Combined License | OpenSSL - in C | LICENSE ISSUES ================================== |

| License | Used By | Text |
|---------|---------|--|
| | | OpenSSL License |
| | | |
| | | Copyright (c) 1998-2008 The OpenSSL Project. All rights reserved. |
| | | Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: |
| | | Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. |
| | | Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. |
| | | All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (http://www.openssl.org/)" |
| | | The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without |
| | | prior written permission of the OpenSSL Project. |
| | | Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit |
| | | (http://www.openssl.org/)" |
| | | THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF |
| | | MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT |
| | | SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, |
| | | INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. |
| | | This product includes cryptographic software written by Eric Young (eay@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com). |
| | | Original SSLeay License |

| License | Used By | Text |
|---------|---------|--|
| | | Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com) |
| | | All rights reserved. |
| | | This package is an SSL implementation written by Eric Young (eay@cryptsoft.com). |
| | | The implementation was written so as to conform with Netscapes SSL. |
| | | This library is free for commercial and non-commercial use as long as the following conditions are aheared to. The following conditions apply to all code found in this distribution, be it the RC4, RSA, lhash, DES, etc., code; not just the |
| | | SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that |
| | | the holder is Tim Hudson (tjh@cryptsoft.com). Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed. |
| | | If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used. |
| | | This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package. |
| | | Redistribution and use in source and binary forms, with or without modification, are permitted provided that the |
| | | following conditions are met: |
| | | Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer. |
| | | Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. |
| | | All advertising materials mentioning features or use of this software must display the following acknowledgement: |
| | | "This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)" |
| | | The word 'cryptographic' can be left out if the rouines from the library being used are not cryptographic related :-). |
| | | If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement: "This product includes software written by Tim Hudson (tjh@cryptsoft.com)" |
| | | THIS SOFTWARE IS PROVIDED BY ERIC YOUNG "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, |
| | | INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS |
| | | FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR |
| | | CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR |
| | | CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE |
| | | GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER |
| | | CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT |
| | | (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS |
| | | SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. |
| | | The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.] |

| Used By | Module & License |
|---|---|
| Used By sdCard created with Yocto, with Plug & Trust middleware installed. | Module & LicenseLinux Kernel v4.14.98 GPLv2 u -box v2017.03 GPLv2+al 2.2.52 GPLv2+al 2.2.52 GPLv2+alsa-orof 1.15 GPLv2.1 & GPLv2+alsa-orof 1.15 GPLv2.1 & GPLv2+alsa-bib dv2alsa-bib alsamizer 1.1.5 GPLv2+alsa-bib alsa abib alsa dv2-apr-dv1.1.5 GPLv2+alsa-bib alsa abib alsaalsa-bib alsaalsa-bib alsaalsa-bib alsaalsa-bib alsaalsa-bib alsaalsa-bib alsa |

| Used By | Module & License |
|---------|---|
| | base-passwd 3.5.29 GPLv2+ |
| | base-passwd-dev 3.5.29 GPLv2+ |
| | bash 4.4.12 GPLv3+ |
| | bash-completion 2.7 GPLv2 |
| | bash-completion-dev 2.7 GPLv2 |
| | bash-dev 4.4.12 GPLv3+ |
| | bc 1.06 GPLv2+ & LGPLv2.1 |
| | bc-dev 1.06 GPLv2+ & LGPLv2.1 |
| | binutils 2.30 GPLv3 |
| | binutils-dev 2.30 GPLv3 |
| | bison 3.0.4 GPLv3 |
| | bison-dev 3.0.4 GPLv3 |
| | blktool 4-7 GPLv2+ |
| | blktool-dev 4-7 GPLv2+ |
| | bluez5 5.49 GPLv2+ & LGPLv2.1+ |
| | bluez5-dev 5.49 GPLv2+ & LGPLv2.1+ |
| | btrfs-tools 4.13.3 GPLv2 |
| | btrfs-tools-dev 4.13.3 GPLv2 |
| | busybox 1.27.2 GPLv2 & bzip2 |
| | busybox-dev 1.27.2 GPLv2 & bzip2 |
| | busybox-udhcpc 1.27.2 GPLv2 & bzip2 |
| | bzip2 1.0.6 bzip2 |
| | bzip2-dev 1.0.6 bzip2 |
| | ca-certificates 20170717 GPL-2.0+ & MPL-2.0 |
| | ca-certificates-dev 20170717 GPL-2.0+ & MPL-2.0 |
| | ccache 3.3.5 GPLv3+ |
| | ccache-dev 3.3.5 GPLv3+ |
| | cmake 3.10.3 BSD |
| | cmake-dev 3.10.3 BSD |
| | comman 1.35 GPLv2 |
| | connman-client 1.35 GPLv2 |
| | comman-dev 1.35 GPLv2 |
| | comman-tests 1.35 GPLv2 |
| | comman-tools 1.35 GPLv2 |
| | coreutils 8.29 GPLv3+ |
| | coreutils-dev 8.29 GPLv3+ |
| | cpio 2.12 GPLv3 |

| Used By | Module & License |
|---------|---|
| | cpio-dev 2.12 GPLv3 |
| | cpp 7.3.0 GPL-3.0-with-GCC-exception & GPLv3 |
| | cpp-symlinks 7.3.0 GPL-3.0-with-GCC-exception & GPLv3 |
| | cracklib 2.9.5 LGPLv2.1+ |
| | cracklib-dev 2.9.5 LGPLv2.1+ |
| | cronie 1.5.1 ISC & BSD-3-Clause & BSD-2-Clause & GPLv2+ |
| | cronie-dev 1.5.1 ISC & BSD-3-Clause & BSD-2-Clause & GPLv2+ |
| | cryptodev-linux 1.9 GPLv2 |
| | cryptodev-linux-dev 1.9 GPLv2 |
| | curl 7.61.0 MIT |
| | curl-dev 7.61.0 MIT |
| | db 5.3.28 Sleepycat |
| | db-dev 5.3.28 Sleepycat |
| | dbus 1.12.2 AFL-2 GPLv2+ |
| | dbus-dev 1.12.2 AFL-2 GPLv2+ |
| | dbus-glib 0.108 AFL-2 GPLv2+ |
| | dbus-glib-dev 0.108 AFL-2 GPLv2+ |
| | dbus-lib 1.12.2 AFL-2 GPLv2+ |
| | diffstat 1.61 MIT |
| | diffstat-dev 1.61 MIT |
| | diffutils 3.6 GPLv3+ |
| | diffutils-dev 3.6 GPLv3+ |
| | dnf 2.7.5 GPLv2 |
| | dnf-dev 2.7.5 GPLv2 |
| | dnf-locale-en-gb 2.7.5 GPLv2 |
| | e2fsprogs 1.43.8 GPLv2 & LGPLv2 & BSD & MIT |
| | e2fsprogs-badblocks 1.43.8 GPLv2 |
| | e2fsprogs-dev 1.43.8 GPLv2 & LGPLv2 & BSD & MIT |
| | e2fsprogs-e2fsck 1.43.8 GPLv2 |
| | e2fsprogs-mke2fs 1.43.8 GPLv2 |
| | e2fsprogs-resize2fs 1.43.8 GPLv2 & LGPLv2 & BSD & MIT |
| | ed 1.14.2 GPLv3+ |
| | ed-dev 1.14.2 GPLv3+ |
| | elfutils 0.170 (GPLv3 & Elfutils-Exception) |
| | elfutils-dev 0.170 (GPLv3 & Elfutils-Exception) |
| | ethtool 4.13 GPLv2+ |
| | ethtool-dev 4.13 GPLv2+ |

| Used By | Module & License |
|---------|---|
| | expat 2.2.5 MIT |
| | expat-dev 2.2.5 MIT |
| | expect 5.45.4 PD |
| | expect-dev 5.45.4 PD |
| | file 5.32 BSD |
| | file-dev 5.32 BSD |
| | findutils 4.6.0 GPLv3+ |
| | findutils-dev 4.6.0 GPLv3+ |
| | flac 1.3.2 GFDL-1.2 & GPLv2+ & LGPLv2.1+ & BSD |
| | flac-dev 1.3.2 GFDL-1.2 & GPLv2+ & LGPLv2.1+ & BSD |
| | flex 2.6.0 BSD |
| | flex-dev 2.6.0 BSD |
| | flex-libfl 2.6.0 BSD |
| | func-timeout 4.3.3 LGPLv3 & LGPL-2.0 |
| | func-timeout-dev 4.3.3 LGPLv3 & LGPL-2.0 |
| | fuser 23.0 GPLv2 |
| | g++ 7.3.0 GPL-3.0-with-GCC-exception & GPLv3 |
| | g++-symlinks 7.3.0 GPL-3.0-with-GCC-exception & GPLv3 |
| | gawk 4.2.1 GPLv3 |
| | gawk-dev 4.2.1 GPLv3 |
| | gcc 7.3.0 GPL-3.0-with-GCC-exception & GPLv3 |
| | gcc-dev 7.3.0 GPL-3.0-with-GCC-exception & GPLv3 |
| | gcc-sanitizers 7.3.0 NCSA MIT |
| | gcc-symlinks 7.3.0 GPL-3.0-with-GCC-exception & GPLv3 |
| | gdb 8.0.1 GPLv2 & GPLv3 & LGPLv2 & LGPLv3 |
| | gdb-dev 8.0.1 GPLv2 & GPLv3 & LGPLv2 & LGPLv3 |
| | gdbm 1.14.1 GPLv3 |
| | gdbm-compat 1.14.1 GPLv3 |
| | gdbm-dev 1.14.1 GPLv3 |
| | gdbserver 8.0.1 GPLv2 & GPLv3 & LGPLv2 & LGPLv3 |
| | gettext 0.19.8.1 GPLv3+ & LGPL-2.1+ |
| | gettext-dev 0.19.8.1 GPLv3+ & LGPL-2.1+ |
| | git 2.16.1 GPLv2 |
| | git-dev 2.16.1 GPLv2 |
| | glib-2.0 2.54.3 LGPLv2.1+ & BSD & PD |
| | glib-2.0-dev 2.54.3 LGPLv2.1+ & BSD & PD |
| | glib-2.0-locale-en-gb 2.54.3 LGPLv2.1+ & BSD & PD |

| Used By | Module & License |
|---------|---|
| | glibc 2.27 GPLv2 & LGPLv2.1 |
| | glibc-binary-localedata-en-gb 2.27 GPLv2 & LGPLv2.1 |
| | glibc-binary-localedata-en-us 2.27 GPLv2 & LGPLv2.1 |
| | glibc-dbg 2.27 GPLv2 & LGPLv2.1 |
| | glibc-dev 2.27 GPLv2 & LGPLv2.1 |
| | glibc-extra-nss 2.27 GPLv2 & LGPLv2.1 |
| | glibc-gconv 2.27 GPLv2 & LGPLv2.1 |
| | glibc-gconv-cp1252 2.27 GPLv2 & LGPLv2.1 |
| | glibc-gconv-ibm850 2.27 GPLv2 & LGPLv2.1 |
| | glibc-gconv-iso8859-1 2.27 GPLv2 & LGPLv2.1 |
| | glibc-gconv-iso8859-15 2.27 GPLv2 & LGPLv2.1 |
| | glibc-locale-en-gb 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-i18n 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-i18n-ctype 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-iso14651-t1 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-iso14651-t1-common 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-translit-circle 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-translit-cjk-compat 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-translit-compat 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-translit-font 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-translit-fraction 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-translit-narrow 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-translit-neutral 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-translit-small 2.27 GPLv2 & LGPLv2.1 |
| | glibc-localedata-translit-wide 2.27 GPLv2 & LGPLv2.1 |
| | glibc-mtrace 2.27 GPLv2 & LGPLv2.1 |
| | glibc-mtrace-dev 2.27 GPLv2 & LGPLv2.1 |
| | glibc-thread-db 2.27 GPLv2 & LGPLv2.1 |
| | glibc-utils 2.27 GPLv2 & LGPLv2.1 |
| | gmp 6.1.2 GPLv2+ LGPLv3+ |
| | gmp-dev 6.1.2 GPLv2+ LGPLv3+ |
| | gnome-desktop-testing 2014.1 LGPLv2+ |
| | gnome-desktop-testing-dev 2014.1 LGPLv2+ |
| | gnu-config 20150728+gitAUTOINC+b576fa87c1 GPL-3.0-with-autoconf-exception |
| | gnupg 2.2.4 GPLv3 & LGPLv3 |
| | gnupg-dev 2.2.4 GPLv3 & LGPLv3 |
| | gnutls 3.6.1 LGPLv2.1+ |

| Used By | Module & License |
|---------|---|
| | gnutls-dev 3.6.1 GPLv3+ & LGPLv2.1+ |
| | gnutls-openssl 3.6.1 GPLv3+ |
| | gnutls-xx 3.6.1 LGPLv2.1+ |
| | gobject-introspection 1.54.1 LGPLv2+ & GPLv2+ |
| | gobject-introspection-dev 1.54.1 LGPLv2+ & GPLv2+ |
| | gpgme 1.10.0 GPLv2+ & LGPLv2.1+ |
| | gpgme-cpp 1.10.0 GPLv2+ & LGPLv2.1+ |
| | gpgme-dev 1.10.0 GPLv2+ & LGPLv2.1+ |
| | grep 3.1 GPLv3 |
| | grep-dev 3.1 GPLv3 |
| | gtk-doc 1.27 GPLv2 |
| | gtk-doc-dev 1.27 GPLv2 |
| | gzip 1.9 GPLv3+ |
| | gzip-dev 1.9 GPLv3+ |
| | i2c-tools 4.0 GPLv2+ |
| | i2c-tools-dev 4.0 GPLv2+ |
| | icu 60.2 ICU |
| | icu-dev 60.2 ICU |
| | initscripts 1.0 GPLv2 |
| | initscripts-dev 1.0 GPLv2 |
| | initscripts-functions 1.0 GPLv2 |
| | intltool 0.51.0 GPLv2 |
| | intltool-dev 0.51.0 GPLv2 |
| | iproute2 4.14.1 GPLv2+ |
| | iproute2-dev 4.14.1 GPLv2+ |
| | iptables 1.6.2 GPLv2+ |
| | iptables-dev 1.6.2 GPLv2+ |
| | iputils s20161105 BSD & GPLv2+ |
| | iputils-arping s20161105 BSD & GPLv2+ |
| | iputils-clockdiff s20161105 BSD & GPLv2+ |
| | iputils-dev s20161105 BSD & GPLv2+ |
| | iputils-ping s20161105 BSD & GPLv2+ |
| | iputils-tracepath s20161105 BSD & GPLv2+ |
| | iputils-traceroute6 s20161105 BSD & GPLv2+ |
| | kbd 2.0.4 GPLv2+ |
| | kbd-consolefonts 2.0.4 GPLv2+ |
| | kbd-dev 2.0.4 GPLv2+ |

| Used By | Module & License |
|---------|--|
| | kbd-keymaps 2.0.4 GPLv2+ |
| | kdump 2.0.16 GPLv2 |
| | kexec 2.0.16 GPLv2 |
| | kexec-tools 2.0.16 GPLv2 |
| | kexec-tools-dev 2.0.16 GPLv2 |
| | killall 23.0 GPLv2 |
| | kmod 25+gitAUTOINC+aca4eca103 GPL-2.0+ & LGPL-2.1+ |
| | kmod-dev 25+gitAUTOINC+aca4eca103 GPL-2.0+ & LGPL-2.1+ |
| | ldd 2.27 GPLv2 & LGPLv2.1 |
| | less 529 GPLv3+ BSD-2-Clause |
| | less-dev 529 GPLv3+ BSD-2-Clause |
| | libacl 2.2.52 LGPLv2.1+ |
| | libaio 0.3.110 LGPLv2.1+ |
| | libaio-dev 0.3.110 LGPLv2.1+ |
| | libarchive 3.3.2 BSD |
| | libarchive-dev 3.3.2 BSD |
| | libasan 7.3.0 NCSA MIT |
| | libasan-dev 7.3.0 NCSA MIT |
| | libasm 0.170 (GPLv3 & Elfutils-Exception) |
| | libassuan 2.5.1 LGPLv2.1+ |
| | libassuan-dev 2.5.1 GPLv3+ & LGPLv2.1+ |
| | libatomic 7.3.0 GPL-3.0-with-GCC-exception |
| | libatomic-dev 7.3.0 GPL-3.0-with-GCC-exception |
| | libattr 2.4.47 LGPLv2.1+ |
| | libbfd 2.30 GPLv3 |
| | libbz2 1.0.6 bzip2 |
| | libcap 2.25 BSD GPLv2 |
| | libcap-dev 2.25 BSD GPLv2 |
| | libcgroup 0.41 LGPLv2.1 |
| | libcgroup-dev 0.41 LGPLv2.1 |
| | libcheck 0.12.0 LGPLv2.1+ |
| | libcheck-dev 0.12.0 LGPLv2.1+ |
| | libcidn 2.27 GPLv2 & LGPLv2.1 |
| | libcomerr 1.43.8 GPLv2 & LGPLv2 & BSD & MIT |
| | libcomps 0.1.8+gitAUTOINC+01a4759894 GPLv2 |
| | libcomps-dev 0.1.8+gitAUTOINC+01a4759894 GPLv2 |
| | liberoco 0.6.12 LGPLv2 & LGPLv2.1 |

| Used By | Module & License |
|---------|---|
| | libcroco-dev 0.6.12 LGPLv2 & LGPLv2.1 |
| | libcrypto 1.0.2p openssl |
| | libcurl 7.61.0 MIT |
| | libdnf 0.11.1 LGPLv2.1 |
| | libdnf-dev 0.11.1 LGPLv2.1 |
| | libdw 0.170 (GPLv3 & Elfutils-Exception) |
| | libe2p 1.43.8 GPLv2 & LGPLv2 & BSD & MIT |
| | libelf 0.170 (GPLv3 & Elfutils-Exception) |
| | libevent 2.1.8 BSD & MIT |
| | libevent-dev 2.1.8 BSD & MIT |
| | libext2fs 1.43.8 GPLv2 & LGPLv2 & BSD & MIT |
| | libffi 3.2.1 MIT |
| | libffi-dev 3.2.1 MIT |
| | libflac 1.3.2 GFDL-1.2 & GPLv2+ & LGPLv2.1+ & BSD |
| | libflac++ 1.3.2 GFDL-1.2 & GPLv2+ & LGPLv2.1+ & BSD |
| | libgcc 7.3.0 GPL-3.0-with-GCC-exception |
| | libgcc-dev 7.3.0 GPL-3.0-with-GCC-exception |
| | libgcrypt 1.8.2 LGPLv2.1+ |
| | libgcrypt-dev 1.8.2 GPLv2+ & LGPLv2.1+ |
| | libgettextlib 0.19.8.1 GPLv3+ & LGPL-2.1+ |
| | libgettextsrc 0.19.8.1 GPLv3+ & LGPL-2.1+ |
| | libgmpxx 6.1.2 GPLv2+ LGPLv3+ |
| | libgomp 7.3.0 GPL-3.0-with-GCC-exception |
| | libgomp-dev 7.3.0 GPL-3.0-with-GCC-exception |
| | libgpg-error 1.27 GPLv2+ & LGPLv2.1+ |
| | libgpg-error-dev 1.27 GPLv2+ & LGPLv2.1+ |
| | libical 2.0.0 LGPLv2.1 MPL-1 |
| | libical-dev 2.0.0 LGPLv2.1 MPL-1 |
| | libicudata 60.2 ICU |
| | libicui18n 60.2 ICU libicuio 60.2 ICU |
| | libicutu 60.2 ICU |
| | libicute 60.2 ICU |
| | libidn 1.33 LGPLv2.1+ LGPLv3 |
| | libidn-dev 1.33 (LGPLv2.1+ LGPLv3) & GPLv3+ |
| | libkmod 25+gitAUTOINC+aca4eca103 LGPL-2.1+ |
| | libksba 1.3.5 GPLv2+ LGPLv3+ GPLv3+ |
| | |

| Used By | Module & License |
|---------|--|
| | libksba-dev 1.3.5 GPLv2+ LGPLv3+ GPLv3+ |
| | libltdl 2.4.6 GPLv2 & LGPLv2.1 |
| | liblzma 5.2.3 PD |
| | libmnl 1.0.4 LGPLv2.1+ |
| | libmnl-dev 1.0.4 LGPLv2.1+ |
| | libmpc 1.1.0 LGPLv3 |
| | libmpc-dev 1.1.0 LGPLv3 |
| | libnfsidmap 0.25 BSD |
| | libnfsidmap-dev 0.25 BSD |
| | libnl 3.4.0 LGPLv2.1 |
| | libnl-cli 3.4.0 LGPLv2.1 |
| | libnl-dev 3.4.0 LGPLv2.1 |
| | libnl-genl 3.4.0 LGPLv2.1 |
| | libnl-idiag 3.4.0 LGPLv2.1 |
| | libnl-nf 3.4.0 LGPLv2.1 |
| | libnl-route 3.4.0 LGPLv2.1 |
| | libnl-xfrm 3.4.0 LGPLv2.1 |
| | libogg 1.3.3 BSD |
| | libogg-dev 1.3.3 BSD |
| | libpcap 1.8.1 BSD |
| | libpcap-dev 1.8.1 BSD |
| | libpci 3.5.6 GPLv2+ |
| | libpcre 8.41 BSD |
| | libpcre-dev 8.41 BSD |
| | libpcrecpp 8.41 BSD |
| | libpcreposix 8.41 BSD |
| | libpython2 2.7.15 PSFv2 |
| | libpython3 3.5.5 PSFv2 librepo 1.8.1 LGPLv2.1 |
| | librepo-dev 1.8.1 LGPLv2.1 |
| | libsamplerate0 0.1.9 BSD-2-Clause |
| | libsamplerate0-dev 0.1.9 BSD-2-Clause |
| | libsegfault 2.27 GPLv2 & LGPLv2.1 |
| | libsndfile1 1.0.28 LGPLv2.1 |
| | libsndfile1-dev 1.0.28 LGPLv2.1 |
| | libsolv 0.6.33 BSD-3-Clause |
| | libsolv-dev 0.6.33 BSD-3-Clause |
| | |

| Used By | Module & License |
|---------|--|
| | libsolvext 0.6.33 BSD-3-Clause |
| | libsqlite3 3.22.0 PD |
| | libsqlite3-dev 3.22.0 PD |
| | libss 1.43.8 GPLv2 & LGPLv2 & BSD & MIT |
| | libssl 1.0.2p openssl |
| | libssp 7.3.0 GPL-3.0-with-GCC-exception |
| | libssp-dev 7.3.0 GPL-3.0-with-GCC-exception |
| | libstdc++ 7.3.0 GPL-3.0-with-GCC-exception |
| | libstdc++-dev 7.3.0 GPL-3.0-with-GCC-exception |
| | libsystemd 237 GPLv2 & LGPLv2.1 |
| | libtirpc 1.0.2 BSD |
| | libtirpc-dev 1.0.2 BSD |
| | libtool 2.4.6 GPLv2 & LGPLv2.1 |
| | libtool-dev 2.4.6 GPLv2 & LGPLv2.1 |
| | libubsan 7.3.0 NCSA MIT |
| | libubsan-dev 7.3.0 NCSA MIT |
| | libudev 237 GPLv2 & LGPLv2.1 |
| | libunistring 0.9.9 LGPLv3+ GPLv2 |
| | libunistring-dev 0.9.9 LGPLv3+ GPLv2 |
| | liburcu 0.10.1 LGPLv2.1+ & MIT-style |
| | liburcu-dev 0.10.1 LGPLv2.1+ & MIT-style |
| | libvorbis 1.3.5 BSD |
| | libvorbis-dev 1.3.5 BSD |
| | libwrap 7.6 BSD |
| | libwrap-dev 7.6 BSD |
| | libxml-parser-perl 2.44 Artistic-1.0 GPL-1.0+ libxml-parser-perl-dev 2.44 Artistic-1.0 GPL-1.0+ |
| | libxml2 2.9.7 MIT |
| | libxml2-dev 2.9.7 MIT |
| | linux-libc-headers-dev 4.14 GPLv2 |
| | locale-base-en-gb 2.27 GPLv2 & LGPLv2.1 |
| | locale-base-en-us 2.27 GPLv2 & LGPLv2.1 |
| | logrotate 3.13.0 GPLv2 |
| | logrotate-dev 3.13.0 GPLv2 |
| | lrzsz 0.12.20 GPLv2+ |
| | lrzsz-dev 0.12.20 GPLv2+ |
| | ltp 20180118 GPLv2 & GPLv2+ & LGPLv2+ & LGPLv2.1+ & BSD-2-Clause |

| Used By | Module & License |
|---------|--|
| | ltp-dev 20180118 GPLv2 & GPLv2+ & LGPLv2+ & LGPLv2.1+ & BSD-2-Clause |
| | lttng-ust 2.10.1 LGPLv2.1+ & MIT & GPLv2 |
| | lttng-ust-dev 2.10.1 LGPLv2.1+ & MIT & GPLv2 |
| | lzo 2.10 GPLv2+ |
| | lzo-dev 2.10 GPLv2+ |
| | m4 1.4.18 GPLv3 |
| | m4-dev 1.4.18 GPLv3 |
| | make 4.2.1 GPLv3 & LGPLv2 |
| | make-dev 4.2.1 GPLv3 & LGPLv2 |
| | makedevs 1.0.1 GPLv2 |
| | makedevs-dev 1.0.1 GPLv2 |
| | mc 4.8.20 GPLv3 |
| | mc-dev 4.8.20 GPLv3 |
| | mc-fish 4.8.20 GPLv3 |
| | mc-helpers 4.8.20 GPLv3 |
| | mc-helpers-perl 4.8.20 GPLv3 |
| | mc-locale-en-gb 4.8.20 GPLv3 |
| | mktemp 1.7 ISC |
| | mktemp-dev 1.7 ISC |
| | mobile-broadband-provider-info 20170310 PD |
| | mobile-broadband-provider-info-dev 20170310 PD |
| | mpfr 3.1.5 LGPLv3+ |
| | mpfr-dev 3.1.5 LGPLv3+ |
| | ncurses 6.0+20171125 MIT |
| | ncurses-dev 6.0+20171125 MIT |
| | ncurses-libform 6.0+20171125 MIT |
| | ncurses-libformw 6.0+20171125 MIT |
| | ncurses-libmenu 6.0+20171125 MIT |
| | ncurses-libmenuw 6.0+20171125 MIT |
| | ncurses-libncurses 6.0+20171125 MIT |
| | ncurses-libncursesw 6.0+20171125 MIT |
| | ncurses-libpanel 6.0+20171125 MIT |
| | ncurses-libpanelw 6.0+20171125 MIT |
| | ncurses-libtic 6.0+20171125 MIT |
| | ncurses-libticw 6.0+20171125 MIT |
| | ncurses-libtinfo 6.0+20171125 MIT |
| | ncurses-terminfo 6.0+20171125 MIT |

| Used By | Module & License |
|---------|---|
| | ncurses-terminfo-base 6.0+20171125 MIT |
| | net-tools 1.60-26 GPLv2+ |
| | net-tools-dev 1.60-26 GPLv2+ |
| | netbase 5.4 GPLv2 |
| | netbase-dev 5.4 GPLv2 |
| | nettle 3.4 LGPLv3+ GPLv2+ |
| | nettle-dev 3.4 LGPLv3+ GPLv2+ |
| | nfs-utils 2.1.1 MIT & GPLv2+ & BSD |
| | nfs-utils-client 2.1.1 MIT & GPLv2+ & BSD |
| | nfs-utils-dev 2.1.1 MIT & GPLv2+ & BSD |
| | nfs-utils-mount 2.1.1 MIT & GPLv2+ & BSD |
| | npth 1.5 LGPLv2+ |
| | npth-dev 1.5 LGPLv2+ |
| | nspr 4.19 GPL-2.0 MPL-2.0 LGPL-2.1 |
| | nspr-dev 4.19 GPL-2.0 MPL-2.0 LGPL-2.1 |
| | nss 3.35 MPL-2.0 (MPL-2.0 & GPL-2.0+) (MPL-2.0 & LGPL-2.1+) |
| | nss-dev 3.35 MPL-2.0 (MPL-2.0 & GPL-2.0+) (MPL-2.0 & LGPL-2.1+) |
| | ofono 1.22 GPLv2 |
| | ofono-dev 1.22 GPLv2 |
| | ofono-tests 1.22 GPLv2 |
| | openssh 7.6p1 BSD |
| | openssh-dev 7.6p1 BSD |
| | openssh-keygen 7.6p1 BSD |
| | openssh-scp 7.6p1 BSD |
| | openssh-ssh 7.6p1 BSD |
| | openssh-sshd 7.6p1 BSD |
| | openssl 1.0.2p openssl |
| | openssl-conf 1.0.2p openssl |
| | openssl-dev 1.0.2p openssl |
| | optee-client-imx git BSD |
| | optee-client-imx-dev git BSD |
| | optee-os-imx git BSD optee-os-imx-dev git BSD |
| | optee-test-imx git BSD |
| | optee-test-imx git BSD |
| | os-release 1.0 MIT |
| | os-release dev 1.0 MIT |
| | |

| Used By | Module & License |
|---------|--|
| | packagegroup-core-boot 1.0 MIT |
| | packagegroup-core-boot-dev 1.0 MIT |
| | packagegroup-core-buildessential 1.0 MIT |
| | packagegroup-core-buildessential-dev 1.0 MIT |
| | packagegroup-core-full-cmdline 1.0 MIT |
| | packagegroup-core-full-cmdline-dev 1.0 MIT |
| | packagegroup-core-full-cmdline-dev-utils 1.0 MIT |
| | packagegroup-core-full-cmdline-dev-utils-dev 1.0 MIT |
| | packagegroup-core-full-cmdline-extended 1.0 MIT |
| | packagegroup-core-full-cmdline-extended-dev 1.0 MIT |
| | packagegroup-core-full-cmdline-initscripts 1.0 MIT |
| | packagegroup-core-full-cmdline-initscripts-dev 1.0 MIT |
| | packagegroup-core-full-cmdline-libs 1.0 MIT |
| | packagegroup-core-full-cmdline-libs-dev 1.0 MIT |
| | packagegroup-core-full-cmdline-multiuser 1.0 MIT |
| | packagegroup-core-full-cmdline-multiuser-dev 1.0 MIT |
| | packagegroup-core-full-cmdline-sys-services 1.0 MIT |
| | packagegroup-core-full-cmdline-sys-services-dev 1.0 MIT |
| | packagegroup-core-full-cmdline-utils 1.0 MIT |
| | packagegroup-core-full-cmdline-utils-dev 1.0 MIT |
| | packagegroup-core-sdk 1.0 MIT packagegroup-core-sdk-dev 1.0 MIT |
| | packagegroup-core-suk-dev 1.0 MIT packagegroup-core-ssh-openssh 1.0 MIT |
| | packagegroup-core-ssh-openssh-dev 1.0 MIT |
| | packagegroup-core-standalone-sdk-target 1.0 MIT |
| | packagegroup-core-standalone-sdk-target-dev 1.0 MIT |
| | packagegroup-core-tools-debug 1.0 MIT |
| | packagegroup-core-tools-debug-dev 1.0 MIT |
| | packagegroup-core-tools-testapps 1.0 MIT |
| | packagegroup-core-tools-testapps-dev 1.0 MIT |
| | packagegroup-fsl-optee-imx 1.0 MIT |
| | packagegroup-fsl-optee-imx-dev 1.0 MIT |
| | patch 2.7.6 GPLv3 |
| | patch-dev 2.7.6 GPLv3 |
| | pciutils 3.5.6 GPLv2+ |
| | pciutils-dev 3.5.6 GPLv2+ |
| | pciutils-ids 3.5.6 GPLv2+ |

| Used By | Module & License |
|---------|--|
| | perl 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-dev 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-lib 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-modulecharnames 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-anydbm-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-app-cpan 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-app-prove 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-app-prove-state 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-app-prove-state-result 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-app-prove-state-result-test 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-archive-tar 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-archive-tar-constant 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-archive-tar-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-arybase 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-attribute-handlers 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-attributes 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-autodie 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-autodie-exception 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-autodie-exception-system 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-autodie-hints 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-autodie-scope-guard 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-autodie-scope-guardstack 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-autodie-skip 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-autodie-util 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-autoloader 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-autosplit 5.24.1 Artistic-1.0 GPL-1.0+ perl-module-autouse 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-b 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-b-concise 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-b-debug 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-b-deparse 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-b-op-private 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-b-showlex 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-b-terse 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-b-xref 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-base 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-benchmark 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-benchmark 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|--|
| | perl-module-bigint 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-bignum 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-bigrat 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-blib 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-bytes 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-bytes-heavy 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-carp 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-carp-heavy 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-charnames 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-class-struct 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-compress-raw-bzip2 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-compress-raw-zlib 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-compress-zlib 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-config-extensions 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-config-perl-v 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-constant 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-corelist 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-cpan 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-cwd 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-data-dumper 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-db 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-dbm-filter 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-dbm-filter-compress 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-dbm-filter-encode 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-dbm-filter-int32 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-dbm-filter-null 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-dbm-filter-utf8 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-deprecate 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-devel-peek 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-devel-ppport 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-devel-selfstubber 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-diagnostics 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-digest 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-digest-base 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-digest-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-digest-md5 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-digest-sha 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|---|
| | perl-module-dirhandle 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-dumpvalue 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-dumpvar 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-dynaloader 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encodepm 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encodet 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-alias 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-byte 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-changes 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-cjkconstants 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-cn 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-cn-hz 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-config 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-configlocal-pm 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-ebcdic 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encoder 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-encoding 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-gsm0338 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-guess 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-jp 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-jp-h2z 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-jp-jis7 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-kr 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-kr-2022-kr 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-makefile-pl 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-mime-header 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-mime-header-iso-2022-jp 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-mime-name 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-readme 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-symbol 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-tw 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-unicode 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encode-unicode-utf7 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encoding 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-encoding-warnings 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-english 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|--|
| | perl-module-env 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-errno 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-experimental 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-exporter 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-exporter-heavy 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-base 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-aix 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-android 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-cygwin 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-darwin 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-dec-osf 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-os2 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-unix 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-vms 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-windows 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-windows-bcc 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-windows-gcc 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-cbuilder-platform-windows-msvc 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-command 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-command-mm 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-constant 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-constant-base 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-constant-proxysubs 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-constant-utils 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-constant-xs 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-embed 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-install 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-installed 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-liblist 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-liblist-kid 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-makemaker 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-makemaker-config 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-makemaker-locale 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-makemaker-version 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-manifest 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-miniperl 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|--|
| | perl-module-extutils-mkbootstrap 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mksymlists 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-aix 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-any 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-beos 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-cygwin 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-darwin 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-dos 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-macos 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-nw5 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-os2 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-qnx 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-unix 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-uwin 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-vms 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-vos 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-win32 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-mm-win95 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-my 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-packlist 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-parsexs 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-parsexs-constants 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-parsexs-countlines 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-parsexs-eval 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-parsexs-utilities 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-testlib 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-typemaps 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-typemaps-cmd 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-typemaps-inputmap 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-typemaps-outputmap 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-extutils-typemaps-type 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-fatal 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-fcntl 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-feature 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-fields 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-basename 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|--|
| | perl-module-file-compare 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-copy 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-dosglob 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-fetch 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-find 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-glob 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-globmapper 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-path 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-spec 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-spec-amigaos 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-spec-cygwin 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-spec-epoc 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-spec-functions 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-spec-mac 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-spec-os2 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-spec-unix 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-spec-vms 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-spec-win32 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-stat 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-file-temp 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-filecache 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-filehandle 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-filetest 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-filter-simple 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-filter-util-call 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-findbin 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-getopt-long 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-getopt-std 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-hash-util 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-hash-util-fieldhash 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-http-tiny 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-i18n-collate 5.24.1 Artistic-1.0 GPL-1.0+ perl-module-i18n-langinfo 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-118n-langtags 5.24.1 Artistic-1.0 GPL-1.0+ perl-module-i18n-langtags 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-i18n-langtags-detect 5.24.1 Artistic-1.0 GPL-1.0+ perl-module-i18n-langtags-detect 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-i18n-langtags-list 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-if 5.24.1 Artistic-1.0 GPL-1.0+ |
| | peri-inoune-in J.24.1 Anusue-1.0 OF L-1.0+ |

| Used By | Module & License |
|---------|---|
| | perl-module-integer 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-adapter-bzip2 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-adapter-deflate 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-adapter-identity 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-base 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-base-common 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-bzip2 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-deflate 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-gzip 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-gzip-constants 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-rawdeflate 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-zip 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-zip-constants 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-zlib-constants 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-compress-zlib-extra 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-dir 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-handle 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-pipe 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-poll 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-seekable 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-select 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-socket 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-socket-inet 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-socket-ip 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-socket-unix 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-uncompress-adapter-bunzip2 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-uncompress-adapter-identity 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-uncompress-adapter-inflate 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-uncompress-anyinflate 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-uncompress-anyuncompress 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-uncompress-base 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-uncompress-bunzip2 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-uncompress-gunzip 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-uncompress-inflate 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-uncompress-rawinflate 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|--|
| | perl-module-io-uncompress-unzip 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-io-zlib 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-ipc-cmd 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-ipc-msg 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-ipc-open2 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-ipc-open3 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-ipc-semaphore 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-ipc-sharedmem 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-ipc-sysv 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-json-pp 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-json-pp-boolean 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-less 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-lib 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-list-util 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-list-util-xs 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-load 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-loaded 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-constants 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-country 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-country-codes 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-country-retired 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-currency 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-currency-codes 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-currency-retired 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-langext 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-langext-codes 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-langext-retired 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-langfam 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-langfam-codes 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-langfam-retired 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-language 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-language-codes 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-language-retired 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-langvar 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-langvar-codes 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|---|
| | perl-module-locale-codes-langvar-retired 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-script 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-script-codes 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-codes-script-retired 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-country 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-currency 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-language 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-maketext 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-maketext-guts 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-maketext-gutsloader 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-maketext-simple 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-locale-script 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-math-bigfloat 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-math-bigfloat-trace 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-math-bigint 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-math-bigint-calc 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-math-bigint-calcemu 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-math-bigint-fastcalc 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-math-bigint-trace 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-math-bigrat 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-math-complex 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-math-trig 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-memoize 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-memoize-anydbm-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-memoize-expire 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-memoize-expirefile 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-memoize-expiretest 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-memoize-ndbm-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-memoize-sdbm-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-memoize-storable 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-meta-notation 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-metadata 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-mime-base64 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-mime-quotedprint 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-mro 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-ndbm-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-cmd 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|---|
| | perl-module-net-config 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-domain 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-ftp 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-ftp-a 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-ftp-dataconn 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-ftp-e 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-ftp-i 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-ftp-1 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-hostent 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-netent 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-netrc 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-nntp 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-ping 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-pop3 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-protoent 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-servent 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-smtp 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-net-time 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-next 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-o 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-odbm-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-ok 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-opcode 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-open 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-ops 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-overload 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-overload-numbers 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-overloading 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-params-check 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-parent 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-parse-cpan-meta 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-perl-ostype 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-perl5db 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-perlfaq 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-perlio 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-perlio-encoding 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-perlio-mmap 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|---|
| | perl-module-perlio-scalar 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-perlio-via 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-perlio-via-quotedprint 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-checker 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-escapes 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-find 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-functions 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-html 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-inputobjects 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-man 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-parselink 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-parser 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-parseutils 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-baseto 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-getoptsoo 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-toansi 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-tochecker 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-toman 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-tonroff 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-topod 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-tortf 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-toterm 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-totext 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-totk 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-perldoc-toxml 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-plaintext 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-select 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-blackbox 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-checker 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-debug 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-dumpastext 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-dumpasxml 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-html 5.24.1 Artistic-1.0 GPL-1.0+ perl-module-pod-simple-htmlbatch 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-htmlbatch 5.24.1 Artistic-1.0 GPL-1.0+ perl-module-pod-simple-htmllegacy 5.24.1 Artistic-1.0 GPL-1.0+ |
| | pen-moune-pou-simple-numlegacy 3.24.1 Alusue-1.0 OFL-1.0+ |

| Used By | Module & License |
|---------|--|
| | perl-module-pod-simple-linksection 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-methody 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-progress 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-pullparser 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-pullparserendtoken 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-pullparserstarttoken 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-pullparsertexttoken 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-pullparsertoken 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-rtf 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-search 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-simpletree 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-text 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-textcontent 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-tiedoutfh 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-transcode 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-transcodedumb 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-transcodesmart 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-xhtml 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-simple-xmloutstream 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-text 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-text-color 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-text-overstrike 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-text-termcap 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-pod-usage 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-posix 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-re 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-safe 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-scalar-util 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-sdbm-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-search-dict 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-selectsaver 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-selfloader 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-sigtrap 5.24.1 Artistic-1.0 GPL-1.0+ perl-module-socket 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-socket 5.24.1 Artistic-1.0 GPL-1.0+ perl-module-sort 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-storable 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-storable 5.24.1 Artistic-1.0 GPL-1.0+ perl-module-sub-util 5.24.1 Artistic-1.0 GPL-1.0+ |
| | peri-module-sub-ull 5.24.1 Alusue-1.0 OF L-1.0 + |

| Used By | Module & License |
|---------|--|
| | perl-module-subs 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-symbol 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-sys-hostname 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-sys-syslog 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-base 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-formatter-base 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-formatter-color 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-formatter-console 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-formatter-console-parallelsession 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-formatter-console-session 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-formatter-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-formatter-file-session 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-formatter-session 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-harness 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-harness-env 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-object 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-aggregator 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-grammar 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-iterator 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-iterator-array 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-iterator-process 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-iterator-stream 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-iteratorfactory 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-multiplexer 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-result 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-result-bailout 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-result-comment 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-result-plan 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-result-pragma 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-result-test 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-result-unknown 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-result-version 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-result-yaml 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-resultfactory 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-scheduler 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-scheduler-job 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|--|
| | perl-module-tap-parser-scheduler-spinner 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-source 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-sourcehandler 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-sourcehandler-executable 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-sourcehandler-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-sourcehandler-handle 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-sourcehandler-perl 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-sourcehandler-rawtap 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-yamlish-reader 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tap-parser-yamlish-writer 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-term-ansicolor 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-term-cap 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-term-complete 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-term-readline 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-builder 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-builder-io-scalar 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-builder-module 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-builder-tester 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-builder-tester-color 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-harness 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-more 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-simple 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-tester 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-tester-capture 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-tester-capturerunner 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-tester-delegate 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-test-use-ok 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-text-abbrev 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-text-balanced 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-text-parsewords 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-text-tabs 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-text-wrap 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-thread 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-thread-queue 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-thread-semaphore 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-threads 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|---|
| | perl-module-threads-shared 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tie-array 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tie-file 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tie-handle 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tie-hash 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tie-hash-namedcapture 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tie-memoize 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tie-refhash 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tie-scalar 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tie-stdhandle 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-tie-substrhash 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-time-gmtime 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-time-hires 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-time-local 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-time-localtime 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-time-piece 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-time-seconds 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-time-tm 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-cjk-big5 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-cjk-gb2312 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-cjk-jisx0208 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-cjk-korean 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-cjk-pinyin 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-cjk-stroke 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-cjk-zhuyin 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-af 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ar 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-as 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-az 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-be 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-bg 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-bn 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ca 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-cs 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-cy 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|--|
| | perl-module-unicode-collate-locale-da 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-de-phone 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ee 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-eo 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-es 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-es-trad 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-et 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-fa 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-fi 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-fi-phone 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-fil 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-fo 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-fr 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-gu 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ha 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-haw 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-hi 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-hr 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-hu 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-hy 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ig 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-is 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ja 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-kk 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-kl 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-kn 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ko 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-kok 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ln 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-lt 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-lv 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-mk 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ml 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-mr 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-mt 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-nb 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-nn 5.24.1 Artistic-1.0 GPL-1.0+ |

| Used By | Module & License |
|---------|--|
| | perl-module-unicode-collate-locale-nso 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-om 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-or 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-pa 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-pl 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ro 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ru 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-sa 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-se 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-si 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-si-dict 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-sk 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-sl 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-sq 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-sr 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-sv 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-sv-refo 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-ta 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-te 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-th 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-tn 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-to 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-tr 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-uk 5.24.1 Artistic-1.0 GPL-1.0+ perl-module-unicode-collate-locale-ur 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-vi 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-wae 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-wa 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-yo 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-zh 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-zh-big5 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-zh-gb 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-zh-pin 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-zh-strk 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-collate-locale-zh-zhu 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-normalize 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-unicode-ucd 5.24.1 Artistic-1.0 GPL-1.0+ |
| | |

| Used By | Module & License |
|---------|--|
| | perl-module-unicore 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-universal 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-user-grent 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-user-pwent 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-utf8 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-utf8-heavy 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-version 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-version-regex 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-vmsish 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-module-xsloader 5.24.1 Artistic-1.0 GPL-1.0+ |
| | perl-modules 5.24.1 Artistic-1.0 GPL-1.0+ |
| | pinentry 1.1.0 GPLv2 |
| | pinentry-dev 1.1.0 GPLv2 |
| | pkgconfig 0.29.2+gitAUTOINC+edf8e6f0ea GPLv2+ |
| | pkgconfig-dev 0.29.2+gitAUTOINC+edf8e6f0ea GPLv2+ |
| | pointercal 0.0 MIT |
| | pointercal-dev 0.0 MIT |
| | popt 1.16 MIT popt-dev 1.16 MIT |
| | ppp 2.4.7 BSD & GPLv2+ & LGPLv2+ & PD |
| | ppp-dev 2.4.7 BSD & GPLv2+ & LGPLv2+ & PD ppp-dev 2.4.7 BSD & GPLv2+ & LGPLv2+ & PD |
| | procps 3.3.12 GPLv2+ & LGPLv2+ & FD |
| | procps-dev 3.3.12 GPLv2+ & LGPLv2+ |
| | psmisc 23.0 GPLv2 |
| | psmisc-dev 23.0 GPLv2 |
| | psplash 0.1+gitAUTOINC+2015f7073e GPLv2+ |
| | psplash-default 0.1+gitAUTOINC+2015f7073e GPLv2+ |
| | psplash-dev 0.1+gitAUTOINC+2015f7073e GPLv2+ |
| | pstree 23.0 GPLv2 |
| | python-core 2.7.15 PSFv2 |
| | python-dev 2.7.15 PSFv2 |
| | python3-2to3 3.5.5 PSFv2 |
| | python3-asn1crypto 0.24.0 Apache-2.0 |
| | python3-asn1crypto-dev 0.24.0 Apache-2.0 |
| | python3-asyncio 3.5.5 PSFv2 |
| | python3-attrs 17.4.0 MIT |
| | python3-attrs-dev 17.4.0 MIT |

| Used By | Module & License |
|---------|--|
| | python3-audio 3.5.5 PSFv2 |
| | python3-cffi 1.11.5 MIT |
| | python3-cffi-dev 1.11.5 MIT |
| | python3-click 6.7 BSD |
| | python3-click-dev 6.7 BSD |
| | python3-codecs 3.5.5 PSFv2 |
| | python3-compile 3.5.5 PSFv2 |
| | python3-compression 3.5.5 PSFv2 |
| | python3-core 3.5.5 PSFv2 |
| | python3-crypt 3.5.5 PSFv2 |
| | python3-cryptography 2.1.4 Apache-2.0 BSD |
| | python3-cryptography-dev 2.1.4 Apache-2.0 BSD |
| | python3-cryptography-vectors 2.1.4 Apache-2.0 BSD |
| | python3-cryptography-vectors-dev 2.1.4 Apache-2.0 BSD |
| | python3-ctypes 3.5.5 PSFv2 |
| | python3-curses 3.5.5 PSFv2 |
| | python3-datetime 3.5.5 PSFv2 |
| | python3-db 3.5.5 PSFv2 python3-dbus 1.2.6 MIT |
| | python3-dbus-dev 1.2.6 MIT |
| | python3-debugger 3.5.5 PSFv2 |
| | python3-dev 3.5.5 PSFv2 |
| | python3-difflib 3.5.5 PSFv2 |
| | python3-distutils 3.5.5 PSFv2 |
| | python3-doctest 3.5.5 PSFv2 |
| | python3-email 3.5.5 PSFv2 |
| | python3-fcntl 3.5.5 PSFv2 |
| | python3-gpg 1.10.0 GPLv2+ & LGPLv2.1+ |
| | python3-html 3.5.5 PSFv2 |
| | python3-idle 3.5.5 PSFv2 |
| | python3-idna 2.6 BSD-3-Clause & Python-2.0 & Unicode |
| | python3-idna-dev 2.6 BSD-3-Clause & Python-2.0 & Unicode |
| | python3-image 3.5.5 PSFv2 |
| | python3-iniparse 0.4 MIT & PSF |
| | python3-iniparse-dev 0.4 MIT & PSF |
| | python3-io 3.5.5 PSFv2 |
| | python3-iso8601 0.1.12 MIT |

| Used By | Module & License |
|---------|---|
| | python3-iso8601-dev 0.1.12 MIT |
| | python3-json 3.5.5 PSFv2 |
| | python3-logging 3.5.5 PSFv2 |
| | python3-mailbox 3.5.5 PSFv2 |
| | python3-math 3.5.5 PSFv2 |
| | python3-mime 3.5.5 PSFv2 |
| | python3-misc 3.5.5 PSFv2 |
| | python3-mmap 3.5.5 PSFv2 |
| | python3-modules 3.5.5 PSFv2 |
| | python3-multiprocessing 3.5.5 PSFv2 |
| | python3-netclient 3.5.5 PSFv2 |
| | python3-netserver 3.5.5 PSFv2 |
| | python3-numbers 3.5.5 PSFv2 |
| | python3-pickle 3.5.5 PSFv2 |
| | python3-pip 9.0.2 MIT |
| | python3-pip-dev 9.0.2 MIT |
| | python3-pkgutil 3.5.5 PSFv2 |
| | python3-plistlib 3.5.5 PSFv2 |
| | python3-pluggy 0.6.0 MIT |
| | python3-pluggy-dev 0.6.0 MIT |
| | python3-ply 3.11 BSD |
| | python3-ply-dev 3.11 BSD |
| | python3-pprint 3.5.5 PSFv2 |
| | python3-pretend 1.0.9 BSD |
| | python3-pretend-dev 1.0.9 BSD |
| | python3-profile 3.5.5 PSFv2 |
| | python3-py 1.5.2 MIT |
| | python3-py-dev 1.5.2 MIT |
| | python3-pycparser 2.18 BSD-3-Clause |
| | python3-pycparser-dev 2.18 BSD-3-Clause |
| | python3-pydoc 3.5.5 PSFv2 |
| | python3-pygobject 3.28.1 LGPLv2.1 |
| | python3-pygobject-dev 3.28.1 LGPLv2.1 |
| | python3-pytest 3.4.2 MIT |
| | python3-pytest-dev 3.4.2 MIT |
| | python3-resource 3.5.5 PSFv2 |
| | python3-rpm 4.14.1 GPL-2.0 |

| Used By | Module & License |
|---------|---|
| | python3-runpy 3.5.5 PSFv2 |
| | python3-setuptools 39.0.0 MIT |
| | python3-setuptools-dev 39.0.0 MIT |
| | python3-shell 3.5.5 PSFv2 |
| | python3-six 1.11.0 MIT |
| | python3-six-dev 1.11.0 MIT |
| | python3-smtpd 3.5.5 PSFv2 |
| | python3-sqlite3 3.5.5 PSFv2 |
| | python3-stringold 3.5.5 PSFv2 |
| | python3-syslog 3.5.5 PSFv2 |
| | python3-terminal 3.5.5 PSFv2 |
| | python3-threading 3.5.5 PSFv2 |
| | python3-tkinter 3.5.5 PSFv2 python3-typing 3.5.5 PSFv2 |
| | python3-unittest 3.5.5 PSFv2 |
| | python3-unixadmin 3.5.5 PSFv2 |
| | python3-xml 3.5.5 PSFv2 |
| | python3-xmlrpc 3.5.5 PSFv2 |
| | quilt 0.65 GPLv2 |
| | quilt-dev 0.65 GPLv2 |
| | quota 4.04 BSD & GPLv2+ & LGPLv2.1+ |
| | quota-dev 4.04 BSD & GPLv2+ & LGPLv2.1+ |
| | readline 7.0 GPLv3+ |
| | readline-dev 7.0 GPLv3+ |
| | rpcbind 0.2.4 BSD |
| | rpcbind-dev 0.2.4 BSD |
| | rpm 4.14.1 GPL-2.0 |
| | rpm-dev 4.14.1 GPL-2.0 |
| | run-postinsts 1.0 MIT |
| | run-postinsts-dev 1.0 MIT |
| | sed 4.2.2 GPLv3+ |
| | sed-dev 4.2.2 GPLv3+ |
| | serf 1.3.9 Apache-2.0 |
| | serf-dev 1.3.9 Apache-2.0 |
| | shadow 4.2.1 BSD Artistic-1.0 |
| | shadow-base 4.2.1 BSD Artistic-1.0 |
| | shadow-dev 4.2.1 BSD Artistic-1.0 |

| Used By | Module & License |
|---------|--|
| | shadow-securetty 4.2.1 MIT |
| | shadow-securetty-dev 4.2.1 MIT |
| | shared-mime-info 1.9 GPLv2 |
| | shared-mime-info-dev 1.9 GPLv2 |
| | strace 4.20 BSD |
| | strace-dev 4.20 BSD |
| | subversion 1.9.7 Apache-2 |
| | subversion-dev 1.9.7 Apache-2 |
| | sudo 1.8.22 ISC & BSD & Zlib |
| | sudo-dev 1.8.22 ISC & BSD & Zlib |
| | sysklogd 1.5.1 GPLv2+ & BSD |
| | sysklogd-dev 1.5.1 GPLv2+ & BSD |
| | systemd 237 GPLv2 & LGPLv2.1 |
| | systemd-compat-units 1.0 MIT |
| | systemd-compat-units-dev 1.0 MIT |
| | systemd-container 237 GPLv2 & LGPLv2.1 |
| | systemd-dev 237 GPLv2 & LGPLv2.1 |
| | systemd-extra-utils 237 GPLv2 & LGPLv2.1 |
| | systemd-serialgetty 1.0 GPLv2+ systemd-serialgetty-dev 1.0 GPLv2+ |
| | systemd-vconsole-setup 237 GPLv2 & LGPLv2.1 |
| | tar 1.30 GPLv3 |
| | tar-dev 1.30 GPLv3 |
| | tcl 8.6.8 tcl & BSD-3-Clause |
| | tcl-dev 8.6.8 tcl & BSD-3-Clause |
| | tcl-lib 8.6.8 tcl & BSD-3-Clause |
| | tcp-wrappers 7.6 BSD |
| | time 1.8 GPLv3 |
| | time-dev 1.8 GPLv3 |
| | tslib 1.15 LGPLv2+ & GPLv2+ |
| | tslib-conf 1.15 LGPLv2+ & GPLv2+ |
| | tslib-dev 1.15 LGPLv2+ & GPLv2+ |
| | tzdata 2018f PD & BSD & BSD-3-Clause |
| | udev 237 GPLv2 & LGPLv2.1 |
| | udev-hwdb 237 GPLv2 & LGPLv2.1 |
| | unzip 6.0 BSD-3-Clause |
| | unzip-dev 6.0 BSD-3-Clause |

| Used By | Module & License |
|---------|---|
| | update-alternatives-opkg 0.3.6 GPLv2+ |
| | update-rc.d 0.7 GPLv2+ |
| | update-rc.d-dev 0.7 GPLv2+ |
| | util-linux 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-agetty 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-cfdisk 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-dev 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-fdisk 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-fsck 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-ionice 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-libblkid 2.32.1 GPLv2+ & LGPLv2.1+ & BSD util-linux-libfdisk 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-libmount 2.32.1 GPLv2+ & LGPLv2.1+ & BSD util-linux-libmount 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-homount 2.32.1 GPLv2+ & LGPLv2.1+ & BSD util-linux-libsmartcols 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-libuuid 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-losetup 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-lsblk 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-mkfs 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-mount 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-mountpoint 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-prlimit 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-readprofile 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-sfdisk 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-sulogin 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-swaponoff 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-switch-root 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | util-linux-umount 2.32.1 GPLv2+ & LGPLv2.1+ & BSD |
| | vmcore-dmesg 2.0.16 GPLv2 |
| | volatile-binds 1.0 MIT |
| | volatile-binds-dev 1.0 MIT |
| | which 2.21 GPLv3+ |
| | which-dev 2.21 GPLv3+ |
| | wpa-supplicant 2.6 BSD |
| | wpa-supplicant-cli 2.6 BSD |
| | wpa-supplicant-dev 2.6 BSD |
| | wpa-supplicant-passphrase 2.6 BSD xz 5.2.3 GPLv2+ |
| | |

| Used By | Module & License |
|---------|---|
| | xz-dev 5.2.3 GPLv2+ zlib 1.2.11 Zlib zlib-dev 1.2.11 Zlib |